

Immediate loading concept for the edentulous jaw

A proposed new treatment protocol for a new polymer type

DR GIOVANNI GHIRLANDA AND CARLO BARONCINI, BOTH ROME, ITALY

Literature

1. Albrektsson T, Branemark PI, Hansson HA, Lindstroem J. Osseointegrated titanium implants. Requirements for ensuring a long-lasting, direct bone-to-implant anchorage in man. *Acta Orthop Scand* 1981;52:155- 170.
2. Nkenke E, Fenner M. Indications for immediate loading of implants and implant success. *Clin Oral Implants Res* 2006;17(suppl):19–34.
3. Dierens M, Collaert B, Deschepper E, Browaeys H, Klinge B, De Bruyn H. Patient-centered outcome of immediately loaded implants in the rehabilitation of fully edentulous jaws. *Clin. Oral Impl. Res.* 20, 2009; 1070–1077. doi: 10.1111/j.1600-0501.2009.01741.x
4. Chiapasco M. Early and immediate restoration and loading of implants in completely edentulous patients. *Int J Oral Maxillofac Implants* 2004;19(suppl):76–91.
5. Attard NJ, Zarb GA. Immediate and early implant loading protocols: A literature review of clinical studies. *J Prosthet Dent* 2005;94:242–258.
6. Esposito M, Grusovin MG, Willings M, Coulthard P, Worthington HV. The effectiveness of immediate, early, and conventional loading of dental implants: A Cochrane systematic review of randomized controlled clinical trials. *Int J Oral Maxillofac Implants* 2007;22:893–904.
7. German O, Gallucci, DMD, Dr Med Dent Loading Protocols for Dental Implants in Edentulous Patients *Int J Oral Maxillofac Implants* 2009;24(SUPPL):132–146
8. Maria Erkapers, DDS/Karl Ekstrand, DDS, MS/Russell A. Baer, DDS/Joseph A. Toljanic, DDS/Andreas Thor, DDS, PhD. Patient Satisfaction Following Dental Implant Treatment with Immediate Loading in the Edentulous Atrophic Maxilla *Int j oral maxillofac implants volume 26 , Issue 2 March/April 2011 Pages 356–364*
9. Ottoni JM, Oliveira ZF, Mansini R, Cabral AM.. Correlation between placement torque and survival of single-tooth implants. *Int J Oral Maxillofac Implants.* 2005 Sep-Oct;20(5):769-76
10. Nikellis I, Levi A, Nicolopoulos C. Immediate loading of 190 endosseous dental implants: a prospective observational study of 40 patient treatments with up to 2-year data. *Int J Oral Maxillofac Implants* 2004; 19: 116–123.
11. Malo P, Rangert B, Nobre M. All-on-4 immediate-function concept with Bränemark System implants for completely edentulous maxillae: A 1-year retrospective clinical study. *Clin Implant Dent Relat Res* 2005;7(suppl 1):S88–S94